

LIST OF TABLES

Table 2.3.1.1 Annual Time Series and Summary Statistics of Wet Marsh Potential Evapotranspiration Estimated at 17 National Oceanic and Atmospheric Administration Stations Plus Lake Okeechobee	52
Table 2.3.4.1 Variation of KFACT as a Function of Water Table Location	56
Table 2.3.4.2 Static Evapotranspiration Parameters Used in the South Florida Water Management Model.....	58
Table 2.3.4.3 Calibrated Vegetation/Crop Coefficient (KVEG) as a Function of Land Use and Month as Implemented in the South Florida Water Management Model.....	59
Table 2.4.2.1 Overland Flow Coefficients for Effective Roughness as Used in the South Florida Water Management Model (cell-to-cell overland flow)	74
Table 2.5.3.1 Levee Seepage Coefficients (β_0 , β_1 , β_2) Used in the South Florida Water Management Model.....	80
Table 2.6.1.1 Values of Parameter A and b Used to Define Effective Roughness Coefficient (N) for Cell-to-Canal or Canal-to-Cell Overland Flow in the South Florida Water Management Model.....	92
Table 2.7.3.1 Constants from the National Ocean Service Products and Services Division used to Compute Water Level for the Secondary Stations.....	109
Table 3.1.3.1 Lake Okeechobee Operations in the South Florida Water Management Model.....	117
Table 3.1.3.2 Classification of Tributary Hydrologic Regimes.....	119
Table 3.1.3.3 Classification of Seasonal and Multi-Seasonal Inflow Predictions	120
Table 3.1.3.4 Pulse Release Hydrographs for the Three Levels of Zone D Regulation Schedule for Lake Okeechobee	122
Table 3.2.2.1 Variation of KFACT in the Equation for Theoretical Total Evapotranspiration as a Function of Depth.....	135
Table 3.2.3.1 Operational Constraints Used in the South Florida Water Management Model for Removing Excess Runoff from Everglades Agricultural Area Basins....	141
Table 3.2.3.2 Allowable Percentage of Design Discharge through the Major Everglades Agricultural Area Conveyance Canals	142
Table 3.2.3.3 Some Physical Properties of the Eight EAA Canal Reaches Used in Calculating Conveyance Capacities through the EAA.....	144
Table 3.2.4.1 Fractional Contributions of 298 Districts to Major Everglades Agricultural Area Canals	147
Table 3.2.5.1 General Operating Considerations for STA-type Reservoirs in the EAA Simulation within the South Florida Water Management Model	149
Table 3.3.7.1 Comparison of Modeled Demands to Work Plan Entitlement for Seminole Brighton Reservation.....	160
Table 3.3.7.2 Comparison of Modeled Demands to Work Plan Entitlement for Seminole Big Cypress Reservation	160
Table 3.4.2.1 Comparison between Actual and Modeled Areas in the Water Conservation Areas	173
Table 3.4.2.2 Trigger Locations for Regulatory Releases from Water Conservation Areas as Used in the South Florida Water Management Model	175

Table 3.4.2.3 Structure Operations Associated with Regulatory Discharges in the Water Conservation Areas	180
Table 3.4.2.4 Water Conservation Area Floor Elevations Used in the South Florida Water Management Model.....	182
Table 3.4.2.5 Structure Operations for Water Supply Releases from Water Conservation Areas to Lower East Coast Service Areas.....	183
Table 3.4.2.6 Examples of Import and Export Triggers	189
Table 3.5.2.1 Canal Definition Data for Example Hypothetical Canal Network	196
Table 3.5.2.2 Routing Information for Example Hypothetical Canal Network.....	196
Table 3.5.2.3 Branch Information for Example Hypothetical Canal Network.....	196
Table 3.5.4.1 Proposed Cutbacks for Simulating the Short-Term Water Use Restrictions in the Lower East Coast Service Areas	204
Table 3.5.5.1 Average Daily Withdrawal from Lower East Coast Surficial Aquifer for Public Water Supply in Eastern Palm Beach, Broward and Miami-Dade Counties.....	208
Table 3.6.2.1 District's Rainfall Monitoring Stations in the Everglades Agricultural Area used in Best Management Practices Replacement Water Calculations.....	219
Table 3.6.2.2 Statistics of the Estimated Best Management Practices Replacement Water Target Time Series by Water Year.....	220
Table 3.6.2.3 Monthly Distribution Target Percentages for Best Management Practices Makeup Water Deliveries.....	221
Table 4.1.1.1 General Rules Used in Adjusting Calibration Parameters for the Everglades Agricultural Area in the South Florida Water Management Model.....	227
Table 4.1.1.2 KCALIB Calibration Coefficients for Unrestricted Evapotranspiration in the EAA.....	228
Table 4.1.1.3 Final Values of Calibration Parameters (fracdph max and min) used for the EAA in the South Florida Water Management Model v5.5	228
Table 4.2.2.1 Calibration and Verification Statistics for the Water Conservation Areas, Everglades National Park, Big Cypress National Preserve, Holey Land and Rotenberger Water Management Areas , and the Lower East Coast Service Areas.....	250
Table 4.3.1.1 Caloosahatchee Calibrated Values for AFSIRS Water Budget Model Parameters	264
Table 4.3.1.2 Caloosahatchee Calibrated Values for WATBAL Model Parameters.....	265
Table 4.3.1.3 Caloosahatchee Calibrated Values for Monthly Potential Evapotranspiration Correction Factors (Kc).....	265
Table 4.3.1.4 Caloosahatchee Measures of Goodness of Fit for Calibration of AFSIRS Water Budget Model	265
Table 4.3.1.5 Caloosahatchee Measures of Goodness of Fit for Calibration of WATBAL Model.....	267
Table 4.3.1.6 Caloosahatchee Water Budget Summaries for Calibrated Land Use Types (ECAL-D sub-basin)	269
Table 4.3.2.1 Brighton/Istokpoga Calibrated Values for AFSIRS Water Budget Model Parameters	270
Table 4.3.2.2 Brighton/Istokpoga Values for Monthly Potential Evapotranspiration Correction Factors (Kc) as Calibrated in Caloosahatchee Basin	271

Table 4.3.2.3 Brighton/Istokpoga Measures of Goodness of Fit for Calibration of AFSIRS Water Budget Model	271
Table 4.3.3.1 Big Cypress Reservation Calibrated Values for AFSIRS Water Budget Model Parameters	274
Table 4.3.3.2 Big Cypress Reservation Comparison of Modeled Demands to Work Plan Entitlement for the period 1965-2000	275
Table 4.3.3.3 Big Cypress Reservation Water Budget Summaries for Calibrated Land Use Types (1991-2000 calibration period)	275
Table 4.3.3.4 Feeder Canal Basin Calibrated Values for WATBAL Model Parameters	276
Table 4.3.3.5 Feeder Canal Basin Measures of Goodness of Fit for Calibration of WATBAL Model (1991-2000 period)	276
Table 4.3.3.6 Feeder Canal Basin Water Budget Summaries for Calibrated Land Use Types (1991-2000 calibration period)	277
Table 5.2.1 Recommended Parameter Variation Limit	282
Table 5.2.2 Parameter Resolution Matrix	288
Table 5.2.3 Parameter Correlation Matrix	288